



2019

HARDWARE

www.ropenet.com



RopeNet Group

RopeNet Group Co., Ltd from TaiAn, ShanDong is the leading full line manufacturer of Rope, Twine, Net products in China. With 5 producing plants and 800 employees, RopeNet is the fastest growing company in this industry of past 15 years.

Extensive experience and strong capacity have driven us to gain a foothold in the fields: DIY&Hardware, Industrial, Marine, Agricultural, Safety, Outdoor, Auto parts... Fully aware of the dimension of social responsibility and our philosophy of all for guarding human safe life, we proudly obtain and reach the international certificates or standards such as ISO9001, ISO14001, OHSAS18001, BV, BSCI, CE, UL, UIAA...


We believe that our growth is fueled by a desire to meet and exceed our clients' needs. This attitude plays a pivotal role in building a profitable and long term relationship with our customers. That's why we have been known for High quality, Complete categories, Constant innovation pursuing and Excellent Integrated solutions.

Choose RopeNet, Choose the commitment to quality!



President of RopeNet Group





NORTH AMERICA HARDWARE RETAIL



PP Monofilament Twist Rope

This lightweight, durable, economical polypro rope exhibits excellent resistance to oil, rot and most common chemical. The 3 stand construction offers high strength, moderate stretch and resistance to abrasion and UV light. Will not absorb water. Floats



HANK	COIL	HOLDER	POLYBAG	REEL	ITEM NO.	DIA.	LENGTH	COLOR
★	★	★	★		111001	3/16"	50'	Yellow
★	★	★	★		111002	3/16"	100'	
★	★	★	★		111005	1/4"	50'	
★	★	★	★		111006	1/4"	100'	
★	★	★	★		111009	5/16"	50'	
★	★				111010	5/16"	100'	
★	★				111013	3/8"	50'	
				★	111014	3/8"	100'	
				★	111017	1/2"	50'	
				★	111018	1/2"	100'	
				★	111003	3/16"	900'	
				★	111004	3/16"	2125'	
				★	111007	1/4"	600'	
				★	111008	1/4"	1200'	
				★	111011	5/16"	600'	
				★	111012	5/16"	900'	
				★	111015	3/8"	250'	
				★	111016	3/8"	600'	
				★	111019	1/2"	300'	
				★	111020	1/2"	600'	
				★	111021	3/4"	150'	

Truck Rope

Three strand twist black polypropylene with orange tracer. Manufactured to meet California highway patrol standards.



COIL	HOLDER	REEL	ITEM NO.	DIA.	LENGTH	COLOR
★	★		111022	3/8"	50'	Black with orange tracer
★			111023	3/8"	100'	
★			111024	1/2"	50'	
★			111025	1/2"	100'	
		★	111026	1/2"	300'	
		★	111027	1/2"	600'	

Polyester Twist Rope

Durable rope offering high strength and much less stretch than nylon. Good resistance to abrasion. Excellent resistance to UV, rot, mildew, oil, grease, gasoline and many common chemicals. Well-suited for marine and industrial applications. It is suited to pulley and winch lines, high strength and low stretch



HANK	COIL	HOLDER	POLYBAG	REEL	ITEM NO.	DIA.	LENGTH	COLOR
★	★	★	★		111001	3/16"	50'	
★	★	★	★		111002	3/16"	100'	
★	★	★	★		111005	1/4"	50'	
★	★	★	★		111006	1/4"	100'	
★	★	★	★		111009	5/16"	50'	
★	★				111010	5/16"	100'	
★	★				111013	3/8"	50'	
★	★				111014	3/8"	100'	
★	★				111017	1/2"	50'	
				★	111018	1/2"	100'	
				★	111003	3/16"	900'	Yellow
				★	111004	3/16"	2125'	
				★	111007	1/4"	600'	
				★	111008	1/4"	1200'	
				★	111011	5/16"	600'	
				★	111012	5/16"	900'	
				★	111015	3/8"	250'	
				★	111016	3/8"	600'	
				★	111019	1/2"	300'	
				★	111020	1/2"	600'	
				★	111021	3/4"	150'	



Nylon twist Rope

All-purpose 3 strand nylon rope offers high strength and elongation with good resistance to abrasion. Nylon exhibits great shock absorbing ability, as well as excellent resistance to ultraviolet exposure, mildew, rot, oil, grease, gasoline and many common chemicals. Easy to knot, grip and splice. Good for dock, anchor, mooring lines, securing boats or cargo



HANK	COIL	HOLDER	POLYBAG	REEL	ITEM NO.	DIA.	LENGTH	COLOR
★	★	★	★		111049	3/16"	50'	White
★	★	★	★		111050	3/16"	100'	
★	★	★	★		111053	1/4"	50'	
★	★	★	★		111054	1/4"	100'	
★	★	★	★		111055	5/16"	50'	
★	★				111056	5/16"	100'	
★	★				111060	3/8"	15'	
★	★				111061	3/8"	50'	
★	★				111062	3/8"	100'	
★	★				111066	1/2"	50'	
★	★				111067	1/2"	100'	
				★	111051	3/16"	1200'	
				★	111052	3/16"	2125'	
				★	111057	5/16"	600'	
				★	111058	5/16"	900'	
				★	111059	5/16"	1200'	
				★	111063	3/8"	150'	
				★	111064	3/8"	300'	
				★	111065	3/8"	600'	
				★	111068	1/2"	150'	
				★	111069	1/2"	300'	
				★	111070	5/8"	200'	

Sisal Twist Rope

Made from natural agave fiber, sisal rope is both economic and biodegradable. Offering moderate stretch, this general-purpose rope is used for agriculture and shipping. Sisal rope is easy to grip and knots well, moderate strength and pliability, Bundling rope for farming, shipping and DIY household projects



HANK	COIL	REEL	ITEM NO.	DIA.	LENGTH	COLOR
★	★		111071	1/4"	50'	Natural
★	★		111072	1/4"	100'	
★	★		111074	5/16"	50'	
★	★		111075	5/16"	100'	
★	★		111076	3/8"	50'	
★	★		111077	3/8"	100'	
★	★		111079	1/2"	100'	
		★	111073	1/4"	1200'	
		★	111078	3/8"	600'	
		★	111080	1/2"	300'	
		★	111081	3/4"	150'	

Cotton Twist Rope

Naturally soft and easy to work with, cotton ropes offers a more supple feel than most synthetic ropes. It is Stretch and abrasion resistant and works well in high heat.



HANK	COIL	POLYBAG	REEL	ITEM NO.	DIA.	LENGTH	COLOR
★	★			111082	3/16"	50'	Natural
★	★			111083	3/16"	100'	
★	★			111084	1/4"	50'	
★	★			111085	1/4"	100'	
★	★			111086	1/4"	200'	
★	★			111089	5/16"	50'	
★	★			111090	5/16"	100'	
★	★			111091	3/8"	50'	
★	★			111092	3/8"	100'	
★	★			111095	1/2"	50'	
★	★			111096	1/2"	100'	
		★	★	111087	1/4"	900'	
		★	★	111088	1/4"	1200'	
		★	★	111093	3/8"	600'	
		★	★	111094	3/8"	900'	
		★	★	111097	1/2"	600'	
		★	★	111098	3/4"	100'	



Polypropylene Hollow Braid Rope

This strong, easy-to-splice polypropylene rope is one of the most versatile and economical ropes available today. It floats and has great resistance to UV light, oil, abrasion, marine growth and most common chemicals. Will not kink; torque-free




HANK	POLYBAG	REEL	ITEM NO.	DIA.	LENGTH	COLOR
★	★		111099	3/16"	50'	Yellow
★	★		111100	3/16"	100'	
★	★		111103	1/4"	50'	
★	★		111104	1/4"	100'	
★	★		111107	5/16"	50'	
★			111108	5/16"	100'	
★			111111	3/8"	50'	
		★	111101	3/16"	900'	
		★	111102	3/16"	2125'	
		★	111105	1/4"	600'	
		★	111106	1/4"	1000'	
		★	111109	5/16"	600'	
		★	111110	5/16"	900'	
		★	111112	3/8"	250'	
		★	111113	3/8"	1000'	
		★	111114	1/2"	250'	
		★	111115	1/2"	600'	

All purpose Rope

The rope is light weight . Economical ,strong and used extensively for most rope requirements. This synthetic rope easier to handle than rope made from natrual fibers.It is rot proof and unaffected by water,oil,gasoline ,and most chemicals. This is the lightest rope . This rope loses strength depending on the amount of exposure to ultraviolet radiation,



HANK	HOLDER	ITEM NO.	DIA.	LENGTH	COLOR
★	★	111116	5/32"	50'	Blue red white Green red yellow
★	★	111117	5/32"	100'	
★	★	111118	3/16"	50'	
★	★	111119	3/16"	100'	
★	★	111120	1/4"	50'	
★	★	111121	1/4"	100'	
★		111122	5/16"	50'	
★		111123	5/16"	100'	
★		111124	3/8"	50'	
★		111125	3/8"	100'	
★		111126	1/2"	100'	
★		111127	5/8"	100'	



Camo Rope

The diamond Braid Polypropylene Rope is an Inexpensive rope that comes in a camo color. This rope has good abrasion resistance, floats, is resistant to oil and most chemicals, can be stored wet or dry, and is rot and mildew resistant. This is a general use rope.



HANK	Holder	ITEM NO.	DIA.	LENGTH	COLOR
★	★	111128	1/4"	50'	Camo
★	★	111129	1/4"	100'	
★	★	111130	5/16"	50'	
★	★	111131	5/16"	100'	
★	★	111132	3/8"	75'	
★	★	111133	3/8"	100'	

Reflective Rope

Easy to use, Increases safety while outdoors, Material content: polypropylene, Highly reflective orange Visiflect polypropylene rope design increases your visibility, Ideal for rugged outdoor applications



HANK	Holder	ITEM NO.	DIA.	LENGTH	COLOR
★	★	111134	5/32"	50'	Neon yellow Neon orange
★	★	111135	3/16"	100'	
★	★	111136	1/4"	50'	
★	★	111137	1/4"	100'	
★	★	111138	3/8"	50'	
★	★	111139	3/8"	75'	

Flag Rope

This general purpose poly rope is perfect for a variety of jobs from securing equipment and tying down tarps to camping and sailing applications. The rope features an American flag design making it ideal for flag pole applications too! This poly rope is mildew, oil, rot and gas resistant



HANK	Holder	ITEM NO.	DIA.	LENGTH	COLOR
★	★	111140	3/8"	100'	Blue/red/ white



Polyester Diamond Braid Rope

Leader among all popular fibers for weatherability characteristics, polyester exhibits excellent abrasion resistance and strength, wet or dry. Good resistance to UV light and most common chemicals. This very-low stretch rope offers excellent gripping properties and a torque-free construction.



HANK	HOLDER	POLYBAG	ITEM NO.	DIA.	LENGTH	COLOR
★	★	★	111141	5/32"	50'	White
★	★	★	111142	5/32"	100'	
★	★	★	111143	3/16"	50'	
★	★	★	111144	3/16"	100'	
★	★	★	111145	1/4"	50'	
★	★	★	111146	1/4"	100'	
★	★	★	111147	5/16"	50'	
★		★	111148	5/16"	100'	
★		★	111149	3/8"	50'	



Synthetic Diamond Braid Rope

Spun polyester 16-strand braid rope is economical, light weight and strong . It is rot proof and unaffected by water, oil, gasoline ,and most chemicals.



HANK	HOLDER	ITEM NO.	DIA.	LENGTH	COLOR
★	★	111150	5/32"	50'	White
★	★	111151	5/32"	100'	
★	★	111152	3/16"	50'	
★	★	111153	3/16"	100'	
★	★	111154	1/4"	50'	
★	★	111155	1/4"	100'	

Nylon Diamond Braid Rope

Diamond braid is constructed with strands of fiber braid over and under each other in a circular direction.



HANK	REEL	POLYBAG	ITEM NO.	DIA.	LENGTH	COLOR
★	★	★	111156	1/8"	50'	White
★	★	★	111157	5/32"	50'	
★	★	★	111158	5/32"	100'	
★	★	★	111159	3/16"	50'	
★	★	★	111160	3/16"	100'	
★	★	★	111161	1/4"	50'	
★	★	★	111162	1/4"	100'	
★	★	★	111163	5/16"	50'	
★		★	111164	5/16"	100'	
★		★	111165	3/8"	50'	

Cotton Diamond Braid Rope

Cotton diamond braid rope is the best choice when a soft feel and natural fiber are important. Cotton offers a softer touch than many synthetic rope so it is a popular choice for a wide range of consumer applications, especially if the rope will be handled often.



HANK	HOLDER	ITEM NO.	DIA.	LENGTH	COLOR
★	★	111173	5/32"	50'	Natural
★	★	111174	5/32"	100'	
★	★	111175	3/16"	50'	
★	★	111176	3/16"	100'	
★	★	111177	1/4"	50'	
★	★	111178	1/4"	100'	
★		111179	5/16"	50'	
★		111180	5/16"	100'	

PP Multifilament Solid Braid Rope

Solid braid multifilament polypropylene(MFP) has a somewhat velvety appearance and feel. It is constructed of various bundles of fiber interlocked together in a circular braided pattern. The name solid braid refers to the special lock-stitch construction. This is a floating rope and is rot proof and unaffected by water, Oil, gasoline and most chemicals. Available in colors.



HANK	HOLDER	REEL	ITEM NO.	DIA.	LENGTH	COLOR
★	★		121182	3/16"	50'	White
★	★		121183	3/16"	100'	
★	★		121184	1/4"	50'	
★	★		121185	1/4"	100'	
★			121186	5/16"	50'	
★			121187	5/16"	100'	
★			121188	3/8"	50'	
★			121189	3/8"	100'	Assorted
		★	121190	3/8"	300'	
★		★	121191	1/2"	35'	
		★	121192	1/2"	300'	
		★	121193	5/8"	200'	

Polyester Solid Braid Rope

Solid braid polyester offers higher strength than polypropylene and much less stretch than nylon. Great resistance to abrasion, UV light, rot, mildew and most common chemicals. Well suited to marine and industrial applications.



HANK	HOLDER	POLYBAG	REEL	ITEM NO.	DIA.	LENGTH	COLOR
★	★	★		111194	5/32"	50'	White
★	★	★		111195	5/32"	100'	
★	★	★		111196	3/16"	50'	
★	★	★		111197	3/16"	100'	
★	★	★		111198	1/4"	50'	
★	★	★		111199	1/4"	100'	
★	★	★		111200	5/16"	50'	
★				111201	5/16"	100'	
★				111202	3/8"	50'	
★				111203	3/8"	100'	
			★	111204	3/8"	200'	
			★	111205	3/8"	600'	
			★	111206	1/2"	300'	
			★	111207	1/2"	600'	



Nylon Solid Braid Rope

Our solid braid nylon is an extremely strong, soft, lightweight, general purpose rope with excellent resistance to rot, abrasion, mildew, petroleum products and most chemicals. This rope's shock-absorbing elasticity allows it to withstand great strain under shock loads. The solid construction stays round and works well in pulleys.



HANK	HOLDER	POLYBAG	REEL	ITEM NO.	DIA.	LENGTH	COLOR
★	★	★		111209	3/16"	50'	White
★	★	★		111212	3/16"	100'	
★	★	★		111213	1/4"	50'	
★	★	★		111214	1/4"	100'	
★	★	★		111217	5/16"	50'	
★				111218	5/16"	100'	
★				111221	3/8"	50'	
			★	111208	1/8"	2000'	
			★	111210	3/16"	600'	
			★	111211	3/16"	1200'	
			★	111215	1/4"	600'	
			★	111216	1/4"	1200'	
			★	111219	5/16"	600'	
			★	111220	5/16"	1000'	
			★	111222	3/8"	200'	
			★	111223	3/8"	600'	
			★	111224	1/2"	300'	

Cotton Solid Braid Rope

Cotton solid braid rope is soft and pliable, and easy on the hands. Smooth 12-carrier solid braid cotton yarns provide greater abrasion resistance.



HANK	HOLDER	ITEM NO.	DIA.	LENGTH	COLOR
★	★	111226	1/8"	100'	White
★	★	111227	3/16"	50'	
★	★	111228	3/16"	100'	
★	★	111229	1/4"	50'	
★	★	111230	1/4"	100'	
★	★	111231	7/32"	50'	
★	★	111232	7/32"	100'	
★		111233	5/16"	50'	
★		111234	3/8"	50'	

PVC Clothline (with wire core)

Practical for room dividers and trellises as well as extra strength clothesline Poly vinyl chloride (PVC) extruded over wire. Tough, durable, weather-resistant surface. Easily cleaned with a damp cloth.



HANK	POLYBAG	ITEM NO.	DIA.	LENGTH	COLOR
★	★	111235	5/32"	50'	Green
★	★	111236	5/32"	100'	Green

PVC Clothline (with PP multifilament core)

Practical for room dividers and trellises as well as extra strength clothesline Poly vinyl chloride (PVC) extruded over PP. Tough, durable, weather-resistant surface. Easily cleaned with a damp cloth.



HANK	POLYBAG	ITEM NO.	DIA.	LENGTH	COLOR
★	★	111237	3/16"	50'	White
★	★	111238	3/16"	100'	

Jute Twine

Jute Twine is a biodegradable natural fiber twine. This twine has soft, thick fibers that protect plants. Uses for this twine include gardening, recycling, craft, and general household use.



BALL	TUBE	ITEM NO.	DIA.	LENGTH	COLOR
	★	111239	Fine	150'	Natural Green
	★	111240	Fine	190'	
	★	111241	Fine	250'	
	★	111242	Heavy	190'	
	★	111243	Heavy	250'	

Sisal Twine

Sisal Twine is a strong natural fiber, but not as strong as manilla. This twine is biodegradable, UV resistant, has good knot retention, and is inexpensive. Uses for this twine include gardening, bundling, and shipping.



BALL	TUBE	ITEM NO.	DIA.	LENGTH	COLOR
	★	111244		300'	Natural
	★	111245		525'	
	★	111246		2250'	

Cotton Twine

Cotton Twine is a general use household twine. This twine is made of a soft natural fiber, must be stored dry, is easily flammable, and has no resistance to chemicals. Uses include bundling, crafts, and general household projects.



BALL	TUBE	ITEM NO.	DIA.	LENGTH	COLOR
★	★	111247	#18	275'	Natural
★	★	111248	#18	350'	
★	★	111249	#18	420'	
★	★	111250	#24	280'	
★	★	111251	#30	230'	
★	★	111252	#36	220'	

Twist Mason Line

This twine is durable and abrasion resistant, holds up well to repetitive use, knots securely, is resistant to oils, gas, most chemicals, rot and mildew. Ideal uses for this twine include chalk/mason line, decoy line, architectural layout, and any use that requires strong twine.



TUBE	HOLDER	ITEM NO.	DIA.	LENGTH	COLOR
★	★	111253	#18	215'	White Orange Pink Yellow Neon yellow
★	★	111254	#18	225'	
★	★	111255	#18	250'	
★	★	111256	#18	275'	
★	★	111257	#18	300'	
★	★	111258	#18	800'	

Braid Mason Line

This cord knots securely and is abrasion resistant. Can be used as mason line, for bundling, and as a blind cord.



TUBE	HOLDER	ITEM NO.	DIA.	LENGTH	COLOR
★	★	111261	#18	275'	White Pink
★	★	111262	#18	550'	
★	★	111263	#18	1100'	

Shock Cord

Shock cord is made from 100% high tenacity polypropylene multifilament yarns and parallel rubber core inside. Shock cord is a highly flexible rubber cord. The cover has excellent abrasion and UV resistance. This combination makes the cord compact, stable and durable.



WHITE WITH BLUE	BLACK	ITEM NO.	DESCRIPTION	PACKAGE
★	★	111258	1/8"x500'	Reel
★	★	111259	3/16"x250'	
★	★	111260	1/4"x250'	
★	★	111261	5/16"x250'	
★	★	111262	3/8"x250'	
★	★	111263	1/2"x250'	
★	★	111264	5/8"x250'	
★	★	111265	3/4"x250'	



Bungee Cord

A bungee cord is an elastic cord composed of one or more elastic strands forming a core, usually covered in a woven nylon or cotton sheath. The sheath itself does not materially extend elastically, but it is braided with its strands spiralling around the core so that a longitudinal pull causes it to squeeze the core, transmitting the core's elastic compression to the longitudinal extension of the sheath and cord. Today, bungee cords are most often used to secure objects without tying knots and to absorb shock.



JAR	POLYBAG	ITEM NO.	DESCRIPTION	COLOR
★		111247	3PCx5/16"x20" 3PCx5/16"x25" 2PCx5/16"x35" 2PCx5/16"x45" 6PCx5/32"x10" 4PCx5/32"x6"	Assorted
★		111248	8PCx5/16"x24" 6PCx5/16"x30" 2PCx5/16"x42"	
	★	111249	2PCx5/16"x12" 2PCx5/16"x18" 2PCx5/16"x24"	
	★	111250	12PCx5/32"x9"	
	★	111251	12PCx5/32"x12"	
	★	111252	1PCx5/16" x 12" 1PCx3/8" x 18" 1PCx3/8" x 24" 1PCx3/8" x 30" 1PCx3/8" x 40"	
	★	111253	5/16" x 12"	
	★	111254	3/8" x 18"	
	★	111255	3/8" x 24"	
	★	111256	3/8" x 30"	
	★	111257	3/8" x 40"	



***EUROPE
HARDWARE RETAIL***



PP Split Film Twist Rope

This rope has a balanced construction, medium lay with moderate stretch and resistance to UV rays and chemicals. Split film polypro offers even better hand knot-ability. However, resistance to abrasion is lower.



HANK	COIL	HOLDER	REEL	ITEM NO.	DIA.	LENGTH	COLOR
★	★	★		112001	4 mm	20 m	White Blue Beige Orange Yellow Green
★	★	★		112002	4 mm	25 m	
★	★	★		112003	4 mm	30 m	
★	★			112004	4 mm	50 m	
★	★	★		112005	5 mm	15 m	
★	★	★		112006	5 mm	20 m	
★	★	★		112007	5 mm	25 m	
★	★	★		112008	5 mm	30 m	
★	★			112009	5 mm	50 m	
★	★	★		112010	6 mm	15 m	
★	★	★		112011	6 mm	20 m	
★	★	★		112012	6 mm	30 m	
★	★			112013	6 mm	50 m	
★	★	★		112014	8 mm	10 m	
★	★	★		112015	8 mm	15 m	
★	★	★		112016	8 mm	20 m	
★	★	★		112017	8 mm	30 m	
★	★			112018	8 mm	50 m	
★	★	★		112019	10 mm	15 m	
★	★	★		112020	10 mm	20 m	
★	★			112021	10 mm	30 m	
	★	★		112022	12 mm	15 m	
	★	★		112023	12 mm	20 m	
	★			112024	12 mm	30 m	
	★		★	112025	6 mm	100 m	
	★		★	112026	8 mm	100 m	
	★		★	112027	10 mm	100 m	
	★		★	112028	12 mm	100 m	
	★		★	112029	14 mm	50 m	
	★		★	112030	14 mm	100 m	
	★		★	112031	16 mm	50 m	
	★		★	112032	16 mm	100 m	
	★		★	112033	18 mm	50 m	
	★		★	112034	18 mm	100 m	
	★		★	112035	20 mm	50 m	
	★		★	112036	22 mm	50 m	
	★		★	112037	24 mm	50 m	

PP Multifilament Braid Rope

PP multifilament braided rope is made of 100% high tenacity polypropylene multifilament. The cord has good resistance to the chemical and average resistance to abrasion. Smooth and soft floating cord which is lighter than polyester and polyamide has good UV-resistance. An economical price combined with wide applications makes this rope very attractive for customers.



HANK	HOLDER	REEL	ITEM NO.	DIA.	LENGTH	COLOR
★	★		112038	3 mm	10 m	Assorted
★	★		112039	3 mm	15 m	
★	★		112040	3 mm	20 m	
★	★		112041	3 mm	25 m	
★	★		112042	3 mm	30 m	
★	★		112043	4 mm	10 m	
★	★		112044	4 mm	20 m	
★	★		112045	5 mm	10 m	
★	★		112046	5 mm	20 m	
★	★		112047	6 mm	10 m	
★	★		112048	6 mm	20 m	
★	★		112049	8 mm	20 m	
★	★		112050	10 mm	15 m	
★	★		112051	12 mm	10 m	
		★	112052	3 mm	100 m	
		★	112053	3 mm	200 m	
		★	112054	4 mm	100 m	
		★	112055	4 mm	200 m	
		★	112056	5 mm	100 m	
		★	112057	5 mm	200 m	
		★	112058	6 mm	100 m	
		★	112059	6 mm	200 m	
		★	112060	8 mm	100 m	
		★	112061	8 mm	200 m	
		★	112062	10 mm	100 m	
		★	112063	10 mm	200 m	
		★	112064	12 mm	100 m	
		★	112065	12 mm	200 m	

Polyester Braid Rope

Polyester braided rope is made of 100% high tenacity polyester and characterized by their resistance to climate conditions as well as excellent UV-resistance. This cord has high abrasion resistance, and very high breaking load. In comparison with polyamide cords, polyester cords are softer and more flexible in wet condition.



HANK	HOLDER	REEL	ITEM NO.	DIA.	LENGTH	COLOR
★	★		112066	3 mm	10 m	White
★	★		112067	3 mm	15 m	
★	★		112068	3 mm	20 m	
★	★		112069	3 mm	25 m	
★	★		112070	3 mm	30 m	
★	★		112071	4 mm	10 m	
★	★		112072	4 mm	20 m	
★	★		112073	5 mm	10 m	
★	★		112074	5 mm	20 m	
★	★		112075	6 mm	10 m	
★	★		112076	6 mm	20 m	
★	★		112077	8 mm	20 m	
★	★		112078	10 mm	15 m	
★	★		112079	12 mm	10 m	
		★	112080	3 mm	100 m	
		★	112081	3 mm	200 m	
		★	112082	4 mm	100 m	
		★	112083	4 mm	200 m	
		★	112084	5 mm	100 m	
		★	112085	5 mm	200 m	
		★	112086	6 mm	100 m	
		★	112087	6 mm	200 m	
		★	112088	8 mm	100 m	
		★	112089	8 mm	200 m	
		★	112090	10 mm	100 m	
		★	112091	10 mm	200 m	
		★	112092	12 mm	100 m	
		★	112093	12 mm	200 m	

Nylon Braid Rope

Nylon braided rope is made of 100% UV-stabilized high tenacity polyamide. The distinguishing features of polyamide cords are their high tenacity and resistance to abrasion as well as higher breaking load. Perfect elongation at breaking load. This makes it a good shock absorber. Polyamide cords found their widely using in the marine transport, the cargo handling, the fishery, the hobby and construction as auxiliary cord.



HANK	HOLDER	REEL	ITEM NO.	DIA.	LENGTH	COLOR
★	★		112094	3 mm	10 m	White
★	★		112095	3 mm	15 m	
★	★		112096	3 mm	20 m	
★	★		112097	3 mm	25 m	
★	★		112098	3 mm	30 m	
★	★		112099	4 mm	10 m	
★	★		112100	4 mm	20 m	
★	★		112101	5 mm	10 m	
★	★		112102	5 mm	20 m	
★	★		112103	6 mm	10 m	
★	★		112104	6 mm	20 m	
★	★		112105	8 mm	20 m	
★	★		112106	10 mm	15 m	
★	★		112107	12 mm	10 m	
		★	112108	3 mm	100 m	
		★	112109	3 mm	200 m	
		★	112110	4 mm	100 m	
		★	112111	4 mm	200 m	
		★	112112	5 mm	100 m	
		★	112113	5 mm	200 m	
		★	112114	6 mm	100 m	
		★	112115	6 mm	200 m	
		★	112116	8 mm	100 m	
		★	112117	8 mm	200 m	
		★	112118	10 mm	100 m	
		★	112119	10 mm	200 m	
		★	112120	12 mm	100 m	
		★	112121	12 mm	200 m	

Cotton Sash Cord

Cotton braided rope is made of 100% cotton. Natural cord is very smooth and soft. Cotton cords successfully found their applications in clothing and haberdashery, in many types of decorations, meat and food industry. These cords can easily be painted. cotton fibers are environmentally friendly and biodegradable.



HANK	HOLDER	ITEM NO.	DIA.	LENGTH	COLOR
★	★	112122	4 mm	20 m	Natural
★	★	112123	6 mm	20 m	
★		112124	8 mm	20 m	
★		112125	10 mm	15 m	



Waxed Cotton Sash Cord

Waxed cotton sash cords are superior quality sash cords made from natural cotton fibres in a 16 plait construction. They have a synthetic fiber core to ensure high strength and are waxed for long lasting weatherproof durability. These waxed cotton sash cords are ideal for use with traditional sash windows but can also be used with racking, pulley systems, flagpoles, aerials or as a traditional weatherproof clothes line.



HANK	REEL	ITEM NO.	DIA.	LENGTH	COLOR
★		112126	6 mm	20 m	Natural
	★	112127	6 mm	100 m	
★		112128	7 mm	20 m	
	★	112129	7 mm	100 m	
★		112130	8 mm	20 m	
	★	112131	8 mm	100 m	

Sisal Twist Rope

This natural fiber rope has a rough texture which provides a firm grip and holds knots well. Sisal rope is great for home, farm and general use. As a natural fiber rope that deteriorates rapidly when exposed to weather.



HANK	COIL	HOLDER	REEL	ITEM NO.	DIA.	LENGTH	COLOR
★		★		112132	6 mm	10 m	Natural
★	★	★		112133	6 mm	20 m	
★	★	★		112134	6 mm	30 m	
★		★		112135	8 mm	10 m	
★	★	★		112136	8 mm	20 m	
	★			112137	8 mm	30 m	
	★			112138	10 mm	20 m	
	★			112139	10 mm	30 m	
	★		★	112140	6 mm	100 m	
	★		★	112141	8 mm	100 m	
	★		★	112142	10 mm	100 m	
	★		★	112143	12 mm	100 m	
	★		★	112144	14 mm	100 m	
	★		★	112145	16 mm	100 m	
	★		★	112146	18 mm	100 m	
	★		★	112147	20 mm	50 m	
	★		★	112148	22 mm	50 m	
	★		★	112149	24 mm	50 m	

Jute Twist Rope

This rope is made of coarse natural fiber, knots well and resistant to sunlight, must be stored in a dry place.



HANK	COIL	HOLDER	ITEM NO.	DIA.	LENGTH	COLOR
★		★	112150	6 mm	10 m	Natural
★	★	★	112151	6 mm	20 m	
★		★	112152	8 mm	10 m	
★	★		112153	8 mm	20 m	
★			112154	10 mm	10 m	
★	★		112155	10 mm	20 m	

PVC Clothesline

It has tough, durable, weather resistant surface and is rust resistant. The PVC clothesline holds shape under loads, and wipes clean easily. It is great for laundry.



HANK	HOLDER	ITEM NO.	DIA.	LENGTH	COLOR	TYPE
★	★	112156	3 mm	20 m	Transparent Red Green Blue	Wire core
★	★	112157	3 mm	30 m		
★	★	112158	4 mm	20 m		
★	★	112159	5 mm	15 m		

with PP core



HANK	HOLDER	ITEM NO.	DIA.	LENGTH	COLOR	TYPE
★	★	112160	3 mm	20 m	White Yellow	PP core
★	★	112161	3 mm	30 m		
★	★	112162	4 mm	20 m		
★	★	112163	5 mm	15 m		



Shock Cord

A shock cord is an elastic cord composed of one or more elastic strands forming a core, usually covered in a woven polyester or polypropylene sheath. Now shock cords are most often used to secure objects without tying knots and to absorb shock.



HANK	HOLDER	REEL	ITEM NO.	DESCRIPTION	COLOR
★	★		112164	4 mm x 20 m	Assorted
★	★		112165	6 mm x 15 m	
★	★		112166	8 mm x 10 m	
		★	112167	6 mm x 200 m	
		★	112168	8 mm x 150 m	
		★	112169	10 mm x 80 m	



PP Multifilament Webbing

Polypropylene webbing is strong, narrow and closely woven fabric, and find wide application in sports equipment, parachute, cargo, industrial safety and others.



COIL	HOLDER	REEL	ITEM NO.	WIDTH	LEGNTH	COLOR
★	★		112170	14 mm	5 m	White Grey
★	★		112171	14 mm	8 m	
★	★		112172	22 mm	5 m	
★	★		112173	22 mm	8 m	
		★	112174	14 mm	50 m	
		★	112175	22 mm	50 m	

PP Film Twist Twine

PP split film twine is economical and general use cordage which is great for wrapping, tying etc.



TUBE	BALL	ITEM NO.	DIA.	LENGTH	WEIGHT	COLOR
★	★	112176	1 mm	50 m	25 g	White Beige
★	★	112177	1 mm	100 m	50 g	
★	★	112178	1.5 mm	100m	100 g	
★		112179	1.5 mm	200 m	200 g	
★		112180	2 mm	100 m	200 g	
★		112181	2 mm	225 m	500 g	
★		112182	2 mm	450 m	1000 g	
★		112183	2 mm	900 m	2000 g	

Jute Twist Twine

Natural jute twine is excellent for a variety of crafts, as well as package wrapping. It is easy to handle and holds knots securely.



TUBE	BALL	ITEM NO.	DIA.	LENGTH	WEIGHT	COLOR
★	★	112184	1 mm	50 m	50 g	Natural Green
★	★	112185	1 mm	100 m	100 g	
★	★	112186	1 mm	125 m	125 g	
★	★	112187	1 mm	250 m	250 g	



Sisal Twist Twine

Sisal fibers are twisted into a smooth, strong, moisture-resistant twine. It's easy to tie and holds knots well. Knot strength is approximately 50% of breaking strength.



TUBE	BALL	ITEM NO.	DIA.	LENGTH	WEIGHT	COLOR
★	★	112188	1.5 mm	45 m	100 g	Natural
★	★	112189	2 mm	30 m	100 g	
★	★	112190	2 mm	60 m	200 g	
★	★	112191	2 mm	300 m	1000 g	
★		112192	2 mm	750 m	2500 g	
★	★	112193	2.5 mm	45 m	250 g	
★	★	112194	2.5 mm	90 m	500 g	
★	★	112195	2.5 mm	180 m	1000 g	

Cotton Twist Twine

Cotton twine is made of cotton yarn twisted according to specifications and requirement. Popular uses include wrapping, tying etc.



TUBE	BALL	ITEM NO.	DIA.	LENGTH	WEIGHT	COLOR
★	★	112196	1 mm	50 m	50 g	Natural
★	★	112197	1 mm	100 m	100 g	
★	★	112198	1.5 mm	60 m	100 g	
★	★	112199	2 mm	45 m	100 g	
★	★	112200	2.5 mm	30 m	100 g	

PP Multifilament Twist Twine

Twine is made of 100% polypropylene multifilament. The distinguishing features of synthetic twines are their high tenacity, UV and abrasion resistance. The twines found their widely using is the fishery, the hobby, the gardening and construction as auxillary twine. Twine is very soft and flexible that makes it easy to use.



TUBE	HOLDER	ITEM NO.	DIA.	LENGTH	WEIGHT	COLOR
★	★	112201	1 mm	50 m	50 g	White Pink Yellow Orange
★	★	112202	1 mm	100 m	100 g	
★	★	112203	1 mm	150 m	150 g	
★	★	112204	1 mm	200 m	200 g	

Nylon Twist Twine

This twine is made of 100% nylon yarn. The twine is available in a twisted construction. Perfect elongation at breaking load. The twine resists oil, chemicals, and mildew. Popular uses include the fishing, construction etc.



TUBE	HOLDER	ITEM NO.	DIA.	LENGTH	COLOR
★	★	112205	1.2 mm	120 m	White Pink Yellow Orange

PE Monofilament Braid Twine

Polyethylene twine is an all-around inexpensive tying twine. It is resistant to water, oil, rot and abrasion. It can be cut to length. Polyethylene twine comes in a wide range of sizes and strengths which make it the most economical tying twine available.



TUBE	REEL	ITEM NO.	DIA.	LENGTH	COLOR
★	★	112206	1 mm	50 m	White Pink Red Yellow Orange Green
★	★	112207	1 mm	100 m	
★	★	112208	1.2 mm	50 m	
★	★	112209	1.2 mm	100 m	
★	★	112210	1.7 mm	50 m	
★	★	112211	1.7 mm	100 m	
★	★	112212	2 mm	50 m	
★	★	112213	2 mm	100 m	

PP Multifilament Braid Twine

Twine is made of 100% polypropylene multifilament. The distinguishing features of synthetic twines are their high tenacity, UV and abrasion resistance. The twines found their widely using is the fishery, the hobby, the gardening and construction as auxiliary twine. Twine is very soft and flexible that makes it easy to use.



TUBE	REEL	HOLDER	ITEM NO.	DIA.	LENGTH	COLOR
★	★	★	112214	1 mm	50 m	White Red Yellow Green
★	★	★	112215	1 mm	100 m	
★	★	★	112216	1.5 mm	50 m	
★	★	★	112217	1.5 mm	100 m	
★	★	★	112218	2 mm	50 m	
★	★	★	112219	2 mm	100 m	

Polyester Braid Twine

This twine is made of 100% polyester yarn. The twine is available in a braided construction. The twine resists oil, chemicals, and mildew. Popular uses include the fishing, construction etc.



TUBE	REEL	HOLDER	ITEM NO.	DIA.	LENGTH	COLOR
★	★	★	112220	1 mm	50 m	White Red Yellow Green
★	★	★	112221	1 mm	100 m	
★	★	★	112222	1.5 mm	50 m	
★	★	★	112223	1.5 mm	100 m	
★	★	★	112224	2 mm	50 m	
★	★	★	112225	2 mm	100 m	

Nylon Braid Twine

This twine is made from 100% nylon yarn. The twine is available in a braided construction. Perfect elongation at breaking load. The twine resists oil, chemicals, and mildew. Popular uses include the fishing, construction etc.



TUBE	REEL	HOLDER	ITEM NO.	DIA.	LENGTH	COLOR
★	★	★	112226	1 mm	50 m	White Red Yellow Green
★	★	★	112227	1 mm	100 m	
★	★	★	112228	1.5 mm	50 m	
★	★	★	112229	1.5 mm	100 m	
★	★	★	112230	2 mm	50 m	
★	★	★	112231	2 mm	100 m	

Multi-Purpose Wire

It's kind of special plastic coating wire rope. Flexible at any shape for multi purpose use. Good at rust protection and easy cleaning.



COIL	ITEM NO.	DIA.	LENGTH	COLOR
★	112232	3.5 mm	10 m	Transparent
★	112233	3.5 mm	15 m	
★	112234	3.5 mm	20 m	
★	112235	3.5 mm	25 m	
★	112236	3.5 mm	30 m	
★	112237	3.5 mm	40 m	
★	112238	3.5 mm	50 m	



Flat Lift Sling

Polyester web sling with flat eye to eye loop ends, reinforced becket eyes at each end and individual serial number on label, safety factor 5:1, EN 1492-2



COLOR	ITEM NO.	SIZE	LENGTH	WLL KG
Violet	112239	50mm	1m	1000
	112240		2m	
	112241		3m	
	112242		4m	
Green	112243	60mm	1m	2000
	112244		2m	
	112245		3m	
	112246		4m	
	112247		5m	
Yellow	112248	90mm	6m	3000
	112249		2m	
	112250		3m	
	112251		4m	
	112252		5m	
Grey	112253	120mm	6m	4000
	112254		3m	
	112255		4m	
	112256		5m	
Red	112257	150mm	6m	5000
	112258		3m	
	112259		4m	
	112260		5m	
	112261		6m	

Round Lift Sling

Polyester round sling, individual serial number on label, safety factor 5:1, EN 1492-2



COLOR	ITEM NO.	SIZE	LENGTH	WLL KG
Violet	112262	45mm	1m	1000
	112263		2m	
	112264		3m	
	112265		4m	
	112266		5m	
	112267		6m	
Green	112268	50mm	1m	2000
	112269		2m	
	112270		3m	
	112271		4m	
	112272		5m	
	112273		6m	
Yellow	112274	60mm	2m	3000
	112275		3m	
	112276		4m	
	112277		5m	
	112278		6m	
	112279	70mm	3m	4000
Grey	112280		4m	
	112281		5m	
	112282		6m	
Red	112283	80mm	3m	5000
	112284		4m	
	112285		5m	
	112286		6m	



www.ropenet.com



AUSTRALIA HARDWARE RETAIL

PE Monofilament Twist Rope

It's excellent handling, easily spliced, holds knots well. It can be used for mooring and anchoring, crowd control, tying down tarps and as skipping rope.



HANK	COIL	REEL	ITEM NO.	DIA.	LENGTH	COLOR
★			113001	4 mm	20 m	Orange White
	★		113002	4 mm	50 m	
★			113003	6 mm	10 m	
★	★		113004	6 mm	20 m	
	★		113005	6 mm	50 m	
★			113006	8 mm	10 m	
★	★		113007	8 mm	20 m	
★			113008	10 mm	10 m	
★	★		113009	10 mm	20 m	
	★		113010	10 mm	50 m	
★			113011	12 mm	10 m	
	★		113012	12 mm	50 m	
		★	113013	4 mm	300 m	
		★	113014	6 mm	250 m	
		★	113015	8 mm	150 m	
		★	113016	10 mm	100 m	

Polypropylene Film Twist Rope

It's a very good general purpose rope. It's economic, lightweight, easily spliced and holds knots well.



HANK	COIL	REEL	ITEM NO.	DIA.	LENGTH	COLOR
★	★		113017	4 mm	20 m	Orange White
	★		113018	4 mm	50 m	
★			113019	6 mm	10 m	
★	★		113020	6 mm	20 m	
	★		113021	6 mm	50 m	
★			113022	8 mm	10 m	
★	★		113023	8 mm	20 m	
★			113024	10 mm	10 m	
★	★		113025	10 mm	20 m	
	★		113026	10 mm	50 m	
★			113027	12 mm	10 m	
	★		113028	12 mm	50 m	
		★	113029	4 mm	300 m	
		★	113030	6 mm	250 m	
		★	113031	8 mm	150 m	
		★	113032	10 mm	100 m	

PP Utility Braid Rope

Made of of PP multifilament, it's the most general multi-purpose rope, flexible, lightweight and easy to handle.



HANK	HOLDER	ITEM NO.	DIA.	LENGTH	COLOR
★	★	113042	3 mm	20 m	Assorted
★	★	113043	4 mm	15 m	
★	★	113044	4 mm	20 m	
★	★	113045	6 mm	15 m	
★	★	113046	6 mm	20 m	
★	★	113047	8 mm	15 m	
★	★	113048	8 mm	20 m	
★		113049	9 mm	10 m	
★		113050	9 mm	15 m	
★		113051	9 mm	20 m	
★		113052	9 mm	25 m	
★		113053	9 mm	30 m	
★		113054	10 mm	15 m	
★		113055	10 mm	20 m	
★		113056	10 mm	30 m	

Sisal Rope

Made from natural fibres with a three strand twisted construction, it is suitable for tying down loads on trailers, trucks and for farm use, as well as for camping and other general purpose.



HANK	COIL	REEL	ITEM NO.	DIA.	LENGTH	COLOR
★			113033	6 mm	15 m	Natural
★	★		113034	6 mm	20 m	
★			113035	8 mm	15 m	
★	★		113036	8 mm	20 m	
★			113037	10 mm	15 m	
★	★		113038	10 mm	20 m	
		★	113039	6 mm	250 m	
		★	113040	8 mm	150 m	
		★	113041	10 mm	100 m	

Polyester Braid Rope

All-purpose durable rope, ideal for a multi uses as clothesline, general tying, camping, etc.



HANK	HOLDER	ITEM NO.	DIA.	LENGTH	COLOR
★	★	113057	3 mm	20 m	White with pink White with green White with blue White with black
★	★	113058	4 mm	15 m	
★	★	113059	4 mm	20 m	
★	★	113060	5 mm	15 m	
★	★	113061	5 mm	20 m	
★	★	113062	6 mm	20 m	
★	★	113063	6 mm	30 m	
★	★	113064	8 mm	10 m	
★	★	113065	8 mm	20 m	
★		113066	8 mm	30 m	
★		113067	10 mm	20 m	
★		113068	10 mm	30 m	
★		113069	12 mm	20 m	
★		113070	12 mm	30 m	

Cotton Sash Cord

It's soft and easy to handle, and holds knots very well. It is used as a replacement cord for sash windows and awnings. It may also be used as a general purpose rope for interior use.



HANK	HOLDER	ITEM NO.	DIA.	LENGTH	COLOR
★	★	113071	5 mm	15 m	Natural
★	★	113072	5 mm	20 m	
★	★	113073	5 mm	25 m	
★	★	113074	6 mm	15 m	
★	★	113075	6 mm	20 m	
★	★	113076	6 mm	25 m	
★	★	113077	7 mm	15 m	
★	★	113078	7 mm	20 m	
★	★	113079	7 mm	25 m	
★	★	113080	8 mm	15 m	
★	★	113081	8 mm	20 m	
★		113082	8 mm	25 m	



Polyester Solid Braid Rope

Round, soft, perfect rope for flag or other uses through p



HANK	HOLDER	REEL	ITEM NO.	DIA.	LENGTH	COLOR
★	★		113083	6 mm	10 m	White with black
★	★		113084	6 mm	20 m	
★	★		113085	8 mm	10 m	
★	★		113086	8 mm	20 m	
★	★		113087	10 mm	10 m	
★			113088	10 mm	20 m	
		★	113089	6 mm	250 m	
		★	113090	8 mm	150 m	
		★	113091	10 mm	100 m	

PP Multifilament Solid Braid Rope

Resistant to rot, mildew, petrol and oil. It's soft and easy to handle, suitable for a multitude of uses.



HANK	HOLDER	REEL	ITEM NO.	DIA.	LENGTH	COLOR
★	★		113092	6 mm	10 m	White Red Blue Green
★	★		113093	6 mm	20 m	
★	★		113094	8 mm	10 m	
★			113095	8 mm	20 m	
★	★		113096	10 mm	10 m	
★			113097	10 mm	20 m	
		★	113098	6 mm	250 m	
		★	113099	8 mm	150 m	
		★	113100	10 mm	100 m	

Polyester 32-strand Braid Rope

From high tenacity polyester, it's an all-purpose durable rope. Ideal for boating, farm, truck and transport applications and even everyday use.



HANK	HOLDER	ITEM NO.	DIA.	LENGTH	COLOR
★	★	113101	6 mm	10 m	White with black
★	★	113102	6 mm	30 m	
★	★	113103	8 mm	10 m	
★	★	113104	8 mm	30 m	
★	★	113105	10 mm	10 m	
★		113106	10 mm	30 m	

Reflective Rope

It's very good for night use, reflective tracer increases visibility at night



HANK	HOLDER	ITEM NO.	DIA.	LENGTH	COLOR
★	★	113107	6 mm	30 m	Orange
★	★	113108	8 mm	30 m	Green

Brickies Line

High tenacity nylon with 8-carrier braided construction, due to fluoro colour it's very helpful to brickies.



TUBE	REEL	ITEM NO.	DIA.	LENGTH	COLOR
★	★	113109	1 mm	50 m	White
★	★	113110	1 mm	100 m	Fluro pink Fluro lime

PVC Clothesline

Available in synthetic fiber and wire core with PVC jacket, it is suitable for both internal and external use, on rotary or fixed clothes holsts.

Wire core



HANK	COIL	ITEM NO.	DIA.	LENGTH	COLOR
★	★	113111	4 mm	20 m	White
★	★	113112	4 mm	30 m	Yellow Green

PP core



HANK	COIL	ITEM NO.	DIA.	LENGTH	COLOR
★	★	113113	5 mm	20 m	White
★	★	113114	5 mm	30 m	Yellow Green

Shock Cord

Our shock cord is made of latex core with synthetic polyester jacket. It is highly resistant to oil, petrol, rot, mildew, sunlight and weathering, making it suitable for exterior use.



HANK	REEL	ITEM NO.	DIA.	LENGTH	COLOR
★		113115	6 mm	5 m	Black
★		113116	6 mm	20 m	
★		113117	8 mm	5 m	
★		113118	8 mm	20 m	
	★	113119	6 mm	250 m	
	★	113120	8 mm	100 m	

Hauling Line

For telecom project, like cable pulling



Coil	Reel	ITEM NO.	DIA.	LENGTH	COLOR
★	★	113121	6mm	400m	Blue blue yellow



www.ropenet.com



SOUTH AMERICA HARDWARE RETAIL

PE Twist Rope

This lightweight, durable, economical polypro rope exhibits excellent resistance to oil, rot and most common chemical. The 3 stand construction offers high strength, moderate stretch and resistance to abrasion and UV light. Will not absorb water. Floats



TUBE	COIL	ITEM NO.	DIA.	LENGTH	COLOR
★		115001	1 mm	200 m	Red Yellow Orange Green Blue
★		115002	2 mm	200 m	
★		115003	3 mm	200 m	
	★	115004	4 mm	180 m	
	★	115005	5 mm	180 m	
	★	115006	6 mm	180 m	
	★	115007	7 mm	180 m	
	★	115008	8 mm	180 m	
	★	115009	9 mm	180 m	
	★	115010	10 mm	180 m	
	★	115011	11 mm	180 m	
	★	115012	12 mm	180 m	
	★	115013	14 mm	160 m	
	★	115014	16 mm	160 m	
	★	115015	18 mm	160 m	
	★	115016	20 mm	160 m	
	★	115017	24 mm	160 m	

PP Multifilament Braid Rope

The rope is light weight . Economical ,strong and used extensively for most rope requirements. This synthetic rope easier to handle than rope made from natrual fibers.It is rot proof and unaffected by water,oil,gasoline ,and most chemicals. This is the lightest rope . This rope loses strength depending on the amount of exposure to ultraviolet radiation.



COIL	REEL	ITEM NO.	DIA.	LENGTH	COLOR
★	★	115028	1 mm	200 m	Red Yellow Blue Orange Green White
★	★	115029	2 mm	200 m	
★	★	115030	3 mm	200 m	
★	★	115031	4 mm	180 m	
★	★	115032	5 mm	180 m	
★	★	115033	6 mm	160 m	
★	★	115034	7 mm	160 m	
★	★	115035	8 mm	160 m	
★	★	115036	10 mm	160 m	
★	★	115037	12 mm	160 m	
★	★	115038	14 mm	160 m	
★	★	115039	16 mm	160 m	
★	★	115040	18 mm	160 m	
★	★	115041	25 mm	160 m	
★	★	115042	30 mm	120 m	
★	★	115043	35 mm	120 m	



COIL	REEL	HANK	HOLDER	ITEM NO.	DIA.	LENGTH	COLOR
★		★	★	115044	4 mm	10 m	Assorted
★		★	★	115045	4 mm	15 m	
★		★	★	115046	4 mm	20 m	
★		★	★	115047	4 mm	25 m	
★		★	★	115048	6 mm	10 m	
★		★	★	115049	6 mm	15 m	
★		★	★	115050	6 mm	20 m	
★		★	★	115051	6 mm	25 m	
★		★	★	115052	8 mm	10 m	
★		★	★	115053	8 mm	15 m	
★		★	★	115054	8 mm	20 m	
★		★	★	115055	8 mm	25 m	
★		★	★	115056	10 mm	10 m	
★		★	★	115057	10 mm	15 m	
★		★	★	115058	10 mm	20 m	
★		★	★	115059	10 mm	25 m	

Polyester Braid Rope

Leader among all popular fibers for weatherability characteristics, polyester exhibits excellent abrasion resistance and strength, wet or dry. Good resistance to UV light and most common chemicals. This very-low stretch rope offers excellent gripping properties and a torque-free construction.



COIL	REEL	ITEM NO.	DIA.	LENGTH	COLOR
★	★	115018	6 mm	160 m	White with blue
★	★	115019	8 mm	160 m	
★	★	115020	10 mm	160 m	
★	★	115021	12 mm	160 m	
★	★	115022	14 mm	160 m	
★	★	115023	16 mm	160 m	
★	★	115024	18 mm	120 m	
★	★	115025	20 mm	120 m	
★	★	115026	22 mm	120 m	
★	★	115027	24 mm	120 m	

Sisal Rope

Made from natural agave fiber, sisal rope is both economic and biodegradable. Offering moderate stretch, this general-purpose rope is used for agriculture and shipping. Sisal rope is easy to grip and knots well, moderate strength and pliability, Bundling rope for farming, shipping and DIY household projects.



COIL	REEL	ITEM NO.	DIA.	LENGTH	COLOR
★	★	115060	4 mm	180 m	Natural
★	★	115061	5 mm	180 m	
★	★	115062	6 mm	160 m	
★	★	115063	8 mm	160 m	
★	★	115064	10 mm	160 m	
★	★	115065	12 mm	160 m	
★	★	115066	14 mm	160 m	
★	★	115067	16 mm	160 m	
★	★	115068	18 mm	160 m	
★	★	115069	25 mm	120 m	
★	★	115070	30 mm	120 m	
★	★	115071	32 mm	120 m	

Sisal Twine

This natural fiber twine offers moderate stretch, good knotting. Used for general purpose shipping and tying.



1PLY	2PY	3PLY	ITEM NO.	WEIGHT	COLOR
★	★	★	115072	1 lb	Natural
★	★	★	115073	2 lbs	
★	★	★	115074	3 lbs	
★	★	★	115075	5 lbs	

Banana Twine

Polypropylene split twine is ideal for wide applications. Lighter than sisal and easier to handle, splitfilm offers a soft hand feel and strong knots.



PINK	YELLOW	WHITE	ITEM NO.	WEIGHT	PACKAGE
★	★	★	115076	1 lb	Tube
★	★	★	115077	2 lbs	
★	★	★	115078	3 lbs	
★	★	★	115079	8 lbs	
★	★	★	115080	10 lbs	

PP Split Film Twist Rope

This rope has a balanced construction, medium lay and moderate stretch. Very similar to the monofilament in strength, and resistance to UV rays and chemicals. Split film polypro offers even better hand knot-ability. However, resistance to abrasion is lower.



COIL	REEL	ITEM NO.	DIA.	WEIGHT	COLOR
★	★	115085	3 mm	5 kg	Green
★	★	115086	4 mm	5 kg	
★	★	115087	5 mm	5 kg	
★	★	115088	6 mm	16 kg	
★	★	115089	8 mm	20 kg	
★	★	115090	10 mm	22 kg	
★	★	115091	12 mm	30 kg	
★	★	115092	14 mm	25 kg	
★	★	115093	16 mm	31 kg	
★	★	115094	18 mm	37 kg	
★	★	115095	20 mm	40 kg	
★	★	115096	22 mm	49 kg	
★	★	115097	24 mm	58 kg	

PP Split film Twine

Polypropylene split twine is ideal for wide applications. Lighter than sisal and easier to handle, splitfilm offers a soft hand feel and strong knots.



TUBE	BALL	ITEM NO.	WEIGHT	COLOR
★	★	115081	200 g	Red
★	★	115082	1 kg	Yellow
★	★	115083	2 kg	Blue
★	★	115084	5 kg	Green

Jute Rope

Jute ropes are naturally soft and flexible. The rope is UV resistant. It has a low elongation, good abrasion characteristics and does not accumulate static electricity. Low susceptibility to rotting process allows the use of jute ropes in landscaping, fencing and in decoration for all leisure objects.



COIL	ITEM NO.	DIA.	LENGTH	COLOR
★	115098	4 mm	100 m	Natural
★	115099	6 mm	100 m	
★	115100	8 mm	100 m	
★	115101	10 mm	100 m	
★	115102	12 mm	100 m	
★	115103	14 mm	100 m	
★	115104	16 mm	100 m	
★	115105	20 mm	100 m	
★	115106	25 mm	100 m	
★	115107	40 mm	50 m	
★	115108	50 mm	50 m	

SOUTH AFRICA HARDWARE RETAIL

Ski Rope

Easy to splice, ideal for general tying and other daily use.



White/Red	White/Green	White/Yellow	White/Blue	ITEM NO.	DIA.	LENGTH	PACKAGE
★	★	★	★	116001	5 mm	5 m	Polybag
★	★	★	★	116002		10 m	
★	★	★	★	116003		15 m	
★	★	★	★	116004		20 m	
★	★	★	★	116005		30 m	
★	★	★	★	116006	7 mm	5 m	
★	★	★	★	116007		10 m	
★	★	★	★	116008		15 m	
★	★	★	★	116009		20 m	
★	★	★	★	116010	10 mm	30 m	
★	★	★	★	116011		5 m	
★	★	★	★	116012		10 m	
★	★	★	★	116013		15 m	
★	★	★	★	116014	12 mm	20 m	
★	★	★	★	116015		30 m	
★	★	★	★	116016		5 m	
★	★	★	★	116017		10 m	
★	★	★	★	116018	5 mm	15 m	
★	★	★	★	116019		20 m	
★	★	★	★	116020		30 m	
★	★	★	★	116021	7 mm	10 kg	Coil
★	★	★	★	116022	10 mm		
★	★	★	★	116023	12 mm		
★	★	★	★	116024			

Cotton Twine

From natural cotton fiber, for small packing or other daily use



Natural	ITEM NO.	DIA.	WEIGHT	Package
★	116029	1 mm	50 g	Tube
★	116030		100 g	
★	116031		500 g	
★	116032	2 mm	100 g	
★	116033		500 g	

Lacing Cord

A wide variety of applications like netting and handicrafts



WHITE	RED	YELLOW	GREEN	BLUE	BLACK	ITEM NO.	DIA.	LENGTH	PACKAGE
★	★	★	★	★	★	116034	2.5 mm	20 m	Hank

Wash Line

Economically wash line and also good for outdoor



White	ITEM NO.	DIA.	LENGTH	PACKAGE
★	116035	4 mm	15 m	Hank
★	116036	4 mm	30 m	

PVC/PP

Very durable and economic clothesline



RED	YELLOW	ITEM NO.	DIA.	LENGTH	PACKAGE
★	★	116037	3 mm	20 m	Hank
★	★	116038	3 mm	30 m	

Sisal Twine

100% natural sisal fiber, most environment friendly and ideal for garden



Natural	ITEM NO.	DIA.	WEIGHT	Package
★	116039	1.5 mm	500 g	Tube
★	116040		1000 g	
★	116041		2000 g	

Cotton Sash Cord

Environment friendly and good choice for outdoor or other general tying



Natural	ITEM NO.	DIA.	LENGTH	Package
★	116025	5 mm	10 m	Hank
★	116026		30 m	
★	116027	7 mm	10 m	
★	116028		30 m	

MIDDLE EAST HARDWARE RETAIL

Nylon Twine

Used commonly in construction and utility, mason twine features a smooth construction that ties easily and knots securely. High-visibility twine offers good resistance to abrasion, rot, mildew.



WHITE	RED	YELLOW	BLUE	GREEN	ITEM NO.	DIA.	WEIGHT	PACKAGE
★	★	★	★	★	121001	210D/18	120 g	Tube
★	★	★	★	★	121002	210D/24	120 g	
★	★	★	★	★	121003	210D/36	120 g	

PE Twist Rope

This lightweight, durable, economical rope exhibits excellent resistance to oil, rot and most common chemical. The 3 -strand construction offers high strength, moderate stretch and resistance to abrasion and UV light. Will not absorb water. Floats



RED	BLUE	GREEN	YELLOW	WHITE	ITEM NO.	DIA.	LENGTH	PACKAGE
★	★	★	★	★	121004	2 mm	100 Yard	Tube
★	★	★	★	★	121005	3 mm	100 Yard	
★	★	★	★	★	121006	4 mm	100 Yard	
★	★	★	★	★	121007	5 mm	100 Yard	Coil
★	★	★	★	★	121008	6 mm	100 Yard	
★	★	★	★	★	121009	8 mm	100 Yard	
★	★	★	★	★	121010	10 mm	100 Yard	
★	★	★	★	★	121011	12 mm	100 Yard	
★	★	★	★	★	121012	14 mm	100 Yard	
★	★	★	★	★	121013	16 mm	100 Yard	
★	★	★	★	★	121014	18 mm	100 Yard	
★	★	★	★	★	121015	20 mm	100 Yard	
★	★	★	★	★	121016	22 mm	100 Yard	
★	★	★	★	★	121017	24 mm	100 Yard	

PP Twist Rope

The rope is light weight . Economical ,strong and used extensively for most rope requirements. This synthetic rope easier to handle than rope made from natrual fibers.It is rot proof and unaffected by water,oil,gasoline ,and most chemicals. This is the lightest rope . This rope loses strength depending on the amount of exposure to ultraviolet radiation.



WHITE	ITEM NO.	DIA.	LENGTH	PACKAGE
★	121018	3 mm	100 Yard	Coil
★	121019	4 mm	100 Yard	
★	121020	5 mm	100 Yard	
★	121021	6 mm	100 Yard	
★	121022	8 mm	100 Yard	
★	121023	10 mm	100 Yard	
★	121024	12 mm	100 Yard	
★	121025	14 mm	100 Yard	
★	121026	16 mm	100 Yard	
★	121027	18 mm	100 Yard	
★	121028	20 mm	100 Yard	
★	121029	22 mm	100 Yard	
★	121030	24 mm	100 Yard	





ROPENET GROUP

ADD: EAST HIGH-TECH DEVELOPMENT ZONE, TAIAN, SHANDONG, CHINA

E-MAIL: info@ropenet.com

TEL: 0086-538-8509967

FAX: 0086-538-8509967

WEB: www.ropenet.com

